Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1087	718/104.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 16:21
L2	1	("0578333").PN.	USPAT	OR .	OFF	2006/03/02 16:21
L3	1	("5758333").PN.	USPAT	OR	OFF	2006/03/02 16:21
L4	86712	pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L5	27	(program adj communication adj block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L6	20	L4 and L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L7	. 27	(program adj communication adj block) same (programs applications)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L8	20	L7 and L4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L9	18791186	@ad<="20000131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21

110	11	19 and 10	LIC DCDLID:	OB	ON	2006/02/02 16:21
L10	11	L8 and L9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L11	6	L10 and independent\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L12	531295	ims	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L13	28374241	@pd<="20010206"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L14	500265	L12 and L13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L15	592	L14 and international.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L16	19	L15 and pcb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L17	7951	information adj management adj system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21

		<u> </u>	· · · · · · · · · · · · · · · · · · ·			
L18	1712	L13 and L17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L19	163	L18 and ims	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/03/02 16:21
L20		L19 and database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L21	15	((information adj management adj system) ims).ab. and L20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L22	15680	((data adj structure) block table list stack queue) with IMS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L23	. 7	L21 and L22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L24	. 14	(program adj communication adj block) and (information adj management adj system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/02 16:21
L25	. 6	L13 and L24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L26	1	(US-5761667-\$).did.	USPAT	OR	OFF	2006/03/02 16:21

•.			•	•		
L27	0	L26 and dedb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L28	23	dedb and (data adj entry database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L29	4	(US-5564050-\$ or US-5758333-\$ or US-5960200-\$ or US-5761667-\$).did.	USPAT	OR	OFF	2006/03/02 16:21
L30	0	L28 and L29	USPAT	OR	OFF	2006/03/02 16:21
L31	7	L28 and ims	USPAT	OR	OFF	2006/03/02 16:21
L32	. 2	L13 and L31	USPAT	OR	OFF	2006/03/02 16:21
L33	0	L26 and application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L34	1	L26 and (program execut\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L35	. 1	L26 and (block with ims)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L36	1	L26 and (block same ims)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L37	1	L26 and ((database ims) with (locat\$4 using utiliz\$4 execut\$4 run\$4 program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21

<u>.                                    </u>						
L38	0	L29 and dedb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L39	1	(US-5745748-\$).did.	USPAT	OR	OFF	2006/03/02 16:21
L40	2	L26 L39	USPAT	OR	OFF	2006/03/02 16:21
L41	2	L40 and (c cobol assembly pascal pl\$1i)	USPAT	OR	OFF	2006/03/02 16:21
L42	0	L40 and (dbb bmp ifp mpp)	USPAT	OR	OFF	2006/03/02 16:21
L43	3	IMS and (dbb and bmp and ifp and mpp)	USPAT	OR	ON	2006/03/02 16:21
L44	2	L40 and (checkpoint breakpoint check\$4)	USPAT	OR	ON	2006/03/02 16:21
L45	1	L40 and (messag\$4)	USPAT	OR	ON <sub>.</sub>	2006/03/02 16:21
L46	. 0	L40 and (messag\$4 same queue)	USPAT:	OR	ON	2006/03/02 16:21
L47	1	L40 and (messag\$4)	USPAT	OR	ON	2006/03/02 16:21
L48		(batch adj message adj processing) and (data adj language adj one) and (database adj management adj batch) and (message adj processing adj program) and (interactive adj fast adj path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 16:21
L49	1	(batch adj message adj processing) and (data adj language adj one) and (database adj management adj batch) and (message adj processing adj program)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/02 16:21
L50	. 1	(US-5745748-\$).did.	USPAT	OR	OFF	2006/03/02 16:21
L51	1	L50 and ((quantity amount number) with psb)	USPAT	OR	ON	2006/03/02 16:21
L52	178	(batch adj message adj processing) (data adj language adj one) (database adj management adj batch) (message adj processing adj program) (interactive adj fast adj path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/02 16:21
L53	28374241	@pd<="20010206"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21

L54	38	L52 and L53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L55	. 6	(US-5564050-\$ or US-5745748-\$ or US-5758333-\$ or US-5761667-\$ or US-5960200-\$ or US-5155678-\$).did.	USPAT	OR	OFF	2006/03/02 16:21
L56	3	L55 and construct	USPAT	OR	ON	2006/03/02 16:21
L57	. 6	L55 and (existence form)	USPAT	OR	ON	2006/03/02 16:21
L58	6	L55 and (format)	USPAT	OR	ON	2006/03/02 16:21
L59	1	("20020107902").PN.	US-PGPUB; USPAT	OR	OFF	2006/03/02 16:21
L60	1	L59 and (ensur\$4 exist\$6)	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L61	· 1	(US-5745748-\$).did.	USPAT	OR	OFF	2006/03/02 16:21
L62	1	L61 and pcb	USPAT	OR ·	ON	2006/03/02 16:21
L63	0	L61 and (pointer register)	USPAT	OR	ON	2006/03/02 16:21
L64	0	L61 and (parameter)	USPAT .	OR	ON	2006/03/02 16:21
L65	1	L61 and (sav\$4)	USPAT	OR	ON	2006/03/02 16:21
L66	1	L61 and memory	USPAT	OR	ON	2006/03/02 16:21
L67	0	(alan adj smith).inv. and ims.clm.	USPAT	OR	ON	2006/03/02 16:21
L68	0	(alan adj smith).inv. and ims.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/02 16:21
L69	1	("20020107902").PN.	US-PGPUB; USPAT	OR	OFF	2006/03/02 16:21
L70	0	L69 and actual	USPAT	OR	OFF	2006/03/02 16:21
L71	191260	(information adj management system) and ims	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L72	. 1	L69 and actual	US-PGPUB; USPAT	OR	OFF	2006/03/02 16:21

				•		•
L73	365	L71 and (IMS with (construct (data adj structure)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L74	20	(pcb and (program adj communication adj block))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L75	. 7	L73 and L74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L76	1476	psb or (program adj specification adj block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L77	5	L75 and L76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L78	4	L77 and dynamic\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/02 16:21
L79	0	L77 and (dynamic\$6 with pcb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L80	. 1	L74 and (dynamic\$6 with pcb)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21

					,	
L81	15	L71 and L74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/03/02 16:21
L82	5	L81 and ((dynamic dynamically) with (pcb construct (data adj structure)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L83	3	((dynamic dynamically) with pcb with (construct (data adj structure)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/02 16:21
L84	6	(US-5761667-\$ or US-5155678-\$ or US-5564050-\$ or US-5745748-\$ or US-5960200-\$ or US-5758333-\$).did.	USPAT	OR	OFF	2006/03/02 16:21
L85	3319	(locat\$4 determin\$3) with (PCB)	USPAT	OR	ON	2006/03/02 16:21
L86	. 1	L84 and L85	USPAT	OR	ON	2006/03/02 16:21
L87	5	L84 and (dynamic dynamically)	USPAT	OR .	ON	2006/03/02 16:21
L88	217	(dynamic dynamically) with pcb	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L89	. 2	L88 and (pcb with ims)	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L90	6	L88 and (pcb and ims)	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L91	2	L88 and (program adj control adj. block)	US-PGPUB; USPAT	OR	OFF	2006/03/02 16:21
L92	741	(dynamic dynamically) same pcb	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L93	2	L92 and (program adj control adj block)	US-PGPUB; USPAT	OR	OFF	2006/03/02 16:21
L94	1	("20020107902").PN.	US-PGPUB; USPAT	OR	OFF	2006/03/02 16:21
L95	1	L94 and (construct with form)	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L96	7514	(ims construct) near3 form	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L97	18872	form near3 independen\$3	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21

<u> </u>						
L98	159	L96 and L97	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L99	1	L98 and (pcb with ims)	US-PGPUB; USPAT	OR	ON /	2006/03/02 16:21
L100	. 9	L98 and (pcb and ims)	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L101	7	(US-20020107902-\$).did. or (US-5761667-\$ or US-5155678-\$ or US-5564050-\$ or US-5745748-\$ or US-5960200-\$ or US-5758333-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/03/02 16:21
L102	5	L101 and (independen\$4)	USPAT	OR	OFF	2006/03/02 16:21
L103	· 257	(independen\$4) with pcb	USPAT	OR	OFF	2006/03/02 16:21
L104	0	L103 and (program adj control adj block)	US-PGPUB; USPAT	OR	OFF	2006/03/02 16:21
L105	. 0	L103 and (program adj communication adj block)	US-PGPUB; USPAT	OR	OFF	2006/03/02 16:21
L106	8	pcb and (program adj communication adj block)	US-PGPUB; USPAT	OR	OFF	2006/03/02 16:21
L107	. 2	(language with independen\$4) and L101	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L108	3	(pcb with (execut\$3 run\$3 application)) and L101	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L109	2	platform and L101	US-PGPUB; USPAT	OR .	ON	2006/03/02 16:21
L110	7	database and L101	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L111	1	(pcb with character) and L101	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L112	55	(head near3 queue) with convert\$4	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L113	· 15	L112 and global and local	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L114	. 12	L113 and lock\$4	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L115	13	(head near3 queue) with global with lock	US-PGPUB; USPAT	OR	ON	2006/03/02 16:21
L116	3	("5454108"   "5920872"   "6052731").PN.	US-PGPUB; USPAT; USOCR	OR .	OFF	2006/03/02 16:21
L117	. 2	L116 and (local and global and lock)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/02 16:21

,						
L118	1	L117 and queue	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/02 16:21
L119	. 37	lock with request\$3 with (head near3 queue)	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/02 16:21
L120	21	L119 and global and local	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/02 16:22
L121	1	(US-5832484-\$).did.	USPAT	OR	OFF	2006/03/02 16:22
L122	1	L121 and (global with (lock queue))	US-PGPUB; USPAT; USOCR	OR .	ON	2006/03/02 16:22
L123	0	L121 and ((global and local) with (lock queue))	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/02 16:22
L124	0	L121 and ((local) with (lock queue))	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/02 16:22
L125	1	L121 and local	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/02 16:22